

Wood burning heater Harvia Linear 22

WKP200C

The Linear 22 wood burning heater is source of glowing heat and magnificent bath for medium-sized saunas. The simple, sculptural design adds timeless style to the sauna. Through the cast-iron glass door the warm glow of the fire adds to the sauna atmosphere. The opening direction of the door can be changed. This model also features adjustable legs to facilitate installation and, for example, help in adjusting the height of the smoke outlet. The fire chamber and combustion air channels of Harvia wood burning heaters are designed so that sauna warms quickly and the burning is cleaner. The wood burning heaters meet the requirements for CE-marking.



Features

Main material : Steel

H x W x D : 770.0 x 450.0 x 510.0 mm

Net weight (kg) : 60.4

Stone amount (kg) : 40.0

ID	GTIN	Power	Sauna room size min - max m3
WKP200C	6417659024907	26.1 kW	8.0-20.0


Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	1
Connection pipe	ZKIP-130	1
Ashpan RST Pro	ZKIP-720	1
Hinge pin	ZKIP-50	1
Frame with parts for WK200	ZROST-300	1
Handle for stove + screws	ZKIP-670	1

Technical details

Technical data	Type / attribute	WKP200C
Technical data	Color	Black
	Power output	26.1 kW
	Stone sizes	10-15 cm
	Stone amount (kg)	40
	Dimensions	
Dimensions	Product width (mm)	450
	Product height (mm)	770
	Product depth (mm)	510
	Net weight (kg)	60.4
	Gross weight	63.1
	Package width	515
	Package height	770
	Package depth	460
Connections		
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions		
Safety and installation dimensions	Safety distance front (non-combustible materials)	500
	Safety distance front (combustible materials)	500
	Safety distance right side (combustible materials)	400
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	400
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	380
	Safety distance (Ceiling) (depends on connections and therefore from output, star/delta)	1265
	Room min. height (depends on connections and therefore from output, star/delta)	2035
	Installation opening height	2035
	Installation opening width	900
	Installation opening depth	860

Technical images



Harvia protective sheaths (all dimensions in millimeters)