

HARVIA LEGEND

HPO1104XE

Harvia Legend electric sauna heater, now in a new size, continues the Finnish sauna tradition and the story of unwavering Harvia quality! The compact Legend electric sauna heater brings the soft steam baths into small family saunas.

Advantages

- The large amount of stones in the tall Harvia Legend XE pillar model creates a pleasant feeling for home saunas. Digital and modern control ensures the perfect sauna experience.
- The Harvia Legend XE electric sauna heater a range of features and is easy to install in a new or old sauna. It does not require a separate control unit installed in a dry room. All connections, such as the control panel, door sensor and temperature sensor are connected directly to the heater.
- Harvia's new heating element tunnel solution, with the elements separated into their own space within the stone space, ensures quick heating time and steady heat in the sauna. The heating element tunnel also enables a more relaxing and quieter steam bath with an even temperature, but it can also provide a properly hot steam bath if you like.
- The versatile and intuitive Xenio control panel is equipped with illuminated touch keys and digital displays. The control panel makes it simple to turn on the sauna heater, set the desired temperature, control the lighting, turn the heater on at a specific time, and to regulate the temperature. The control panel can be placed inside the sauna, doubling as an accurate digital thermometer.
- The Legend XE is easy to update to be remotely controllable with the Xenio WiFi accessory package and MyHarvia mobile application. Learn about the MyHarvia mobile application at www.myharvia.com.



Features

Main material : Steel


H x W x D : 1080.0 x 325.0 x 325.0 mm

Net weight (kg) : 18.5

Installation location : Floor

| ID | GTIN | Output (kW) | Sauna room size min - max m ³ |
|-----------|---------------|-------------|--|
| HPO1104XE | 6417659030465 | 11 kW | 9.0-18.0 |

Related products



SFE-D350



AC3000



SAB00103



CX001WIFI



HP02

Spare parts

| Product | ID | Pcs |
|---------------------------------------|---------|-----|
| Heating element 3600W/230V | ZSC-360 | 3 |
| Sensor with reset button 125 degr. | WX248 | 1 |
| Data cable 5 m | WX311 | 1 |
| Data cable 1,5 m | WX312 | 1 |
| Data cable extension 10 m | WX313 | 1 |
| Control panel for CX170, CX110 | WX380 | 1 |
| Data cable 10 m Griffin, Xenio, Xafir | WX315 | 1 |
| On/off electric switch | ZSK-684 | 1 |
| Circuit board XE | WX683 | 1 |

Technical details

| Technical data | Type / attribute | HP01104XE |
|--|--|--------------------|
| Technical data | Color | Black |
| | Power output | 11 kW |
| | Stone sizes | 5-10 cm |
| | Stone amount (kg) | 100 |
| | Dimensions | Product width (mm) |
| Product height (mm) | | 1080 |
| Product depth (mm) | | 325 |
| Net weight (kg) | | 18.5 |
| Gross weight | | 19.85 |
| Package width | | 330 |
| Package height | | 1060 |
| Package depth | | 330 |
| Safety and installation dimensions | Safety distance front (non-combustible materials) | 100 |
| | Safety distance front (combustible materials) | 100 |
| | Safety distance right side (combustible materials) | 100 |
| | Safety distance right side non-combustible materials | 100 |
| | Safety distance left side (combustible materials) | 100 |
| | Safety distance left side non-combustible materials | 100 |
| | Safety distance side (non-combustible materials) | 100 |
| | Safety distance side (combustible materials) | 100 |
| | Safety distance behind (non-combustible materials) | 100 |
| | Safety distance behind (combustible materials) | 100 |
| Safety distance (Ceiling) (depends on connections and therefore from output, star/delta) | 840 | |



Technical details

| Technical data | Type / attribute | HP01104XE |
|----------------|--|-----------|
| | Room min. height(depends on connections and therefore from output, star/delta) | 1900 |
| | Installation opening height | 1903 |
| | Installation opening width | 525 |
| | Installation opening depth | 525 |